HELIX

Innovation intertwined with safety. That's the DNA of the Helix® Series. The Helix® 2065 features a double-dipped flexible sandy nitrile palm coating that provides 360° water resistance while maintaining a superior grip in dry, oily, and wet situations.

A 13-gauge HPPE/fiberglass blend shell offers ANSI/ISEA Level A4 cut protection and high abrasion resistance.





ANSI/ISEA CUT

A4



GRAM SCORE

1974



ANSI/ISEA PUNCTURE

ANSI/ISEA ABRASION

3

6



™ (€ 🗐

4X42D

Attributes			

Attributes			
Shell:		13G HPPE/ fiberglass	
	Material:	Sandy nitrile	
	Finish:	Textured	
Coating:	Weight:	Medium	
ooding.	Breathability:	Poor	
	Flexibility:	Good	
	Grip:	Dry, oil, or wet	
Sizes:		5/XXS through	

Hex/Armor



Product features

- 13-gauge HPPE and fiberglass blend shell
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- Full flat nitrile coating offers 360° water resistance
- · Elastic knit wrist helps prevent dirt and debris from entering the glove
- · Ultimate dexterity and tactility
- · Seamless construction for enhanced comfort and flexibility
- · Launderable for extended life

REACH REACH Compliant: Avoidance of substances classified as carcinogenic, COMPLIANT mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

Call 1-877-MY ARMOR or visit hexarmor.com

HexArmor® products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change

Protected by patents and patents pending